



Overview

Alhamrani Industrial Group (AIG) was established in 1974 with the opening of its first drum manufacturing plant in Jeddah. Since then two more factories were set up in Riyadh (1982) and then in Jubail (1993).

Due to its commitment to quality, AIG has succeeded in commanding over 85% of the drum and industrial packaging market in the Kingdom of Saudi Arabia. AIG provides drums to the petroleum, petrochemical, chemical and food industry.

AIG is a dedicated investor in advanced automated manufacturing equipment and systems. With this approach AIG have been able to maintain quality in achieving a capacity of 1.8 million steel and 120,000 plastic drums a year plus an additional reconditioning capacity of 150,000 drums.

Quality Focus

AIG drums conform to United Nations Shipping Standards and Regulations and are ISO 9002 certified. The steel drums are manufactured from high-grade steel; are treated to be rust proof and by implementing triple seam welding are guaranteed not to leak.

To enhance security the drums can be given special internal coatings. The drums are available in a variety of specifications. They are ideal

for the transportation of:

- Lubricants
- Viscous materials
- Granular materials
- Chemicals
- Food products

Products

AIG drums are manufactured in accordance to the basic international standards in compliance with

- DOT 17E/H Department of Transportation
- ANSI American International Standard
- DIN EN 10131 European Standard
- DIN 1541 Deutsche Institute for Normalization

ص.ب. ١٢٢٩ جدة ٢١٤٢١ المملكة العربية السعودية هاتف: ٢٩٠-٦٦٦ (+) فاكس: ٥١٧٢-٦٢٧ (+) تلمكس: ٦٠٥١٧٦ حمران إس جي - بريقياً: الحمراني
غ.ت ١٤٩٩ - س.ت ٢٠٢٨٢-٤٠٣٠٠٠ شركة ذات مسئولية محدودة - رأس المال ١٢,٨٠٠,٠٠٠ ريال سعودي

P.O. Box: 1229 Jeddah 21431 K.S.A. Tel: (+ 966 2) 636 0390 Fax: (+ 966 2) 637 5172 Telex: 605176 HAMRAN SJ - Cable: ALHAMRANI
Website www.alhamranigroup.com Chamber of Commerce No. 1499 - C. R. 4030020382 - Limited Liability Company - Capital: S.R. 13,800,000





The drums are tested by TNO (Institute of Industrial Technology) in Netherlands where they are granted a UN number for tracking. This UN number is an international standard.

Drum Types

1. Tight Head Drum or Ordinary Drum

This type of drum has two small re-sealable openings, which are used to fill and empty the drum. The dimensions of the filling opening are 50mm (2.0 inch), and 20mm (0.75 inch). The drum is mainly used to transport non-corrosive liquids.

2. Open Head Drum or Full Removable Head Drum

This type of drum has a detachable lid. The drum is mainly used to transport viscous material such as grease or granular materials.

3. Closed Head Drum With 8 Inch Opening

This type of Drum has the same specifications as a tight head and an open head drum. The additional feature is an 8-inch opening on the top cover. The drum is mainly used to transport Caustic Soda and Bitumen

4. Internally Coated Drum

This type of Drum has the same specifications as a tight head and an open head drum. The additional feature is an internal coating, which makes it suitable for storing volatile materials and food products. The internal coating can be either a Questron Lining or a Epoxy/Phenolic Hibake concentrate lining.

Coating Types

1. Epoxy/Phenolic Hibake concentrate lining

This is a pigmented, heat reactive epoxy/phenolic container lining and is recommended for water and alkali resistant materials.

2. Questron Lining

This is a specially developed polypropylene based material which is highly resistant to volatile and corrosive chemicals. Questron coated drums are composite drums that have the mechanical strength of steel and the high flexibility of plastic.





Questron drums have also been approved for the transportation and storage of food products. AIG has approval for its Questron drums to be used with liquid and solid food products by all major North American and European health and safety legislation authorities.

Contact Information

Alhamrani Industrial Group
Head office
P O BOX 7172
Jeddah 21462
Kingdom of Saudi Arabia

Tel + 966 2 636 0390

Fax + 966 2 637 5172

aiginfo@alhamrani.net

aigsales@alhamrani.net

aigcareer@alhamrani.net

Website: [Alhamrani Industrial Group](http://www.alhamranigroup.com)

